

BILL COPY

OFFICE OF NAVAL RESEARCH

Grant N00014-90-J-1193

TECHNICAL REPORT No. 26

Detection of Three-Photon Relaxation of an Atom Near a Phase Conjugator Through Absorption Measurements

by

Henk F. Arnoldus and Thomas F. George

Prepared for Publication

in

Physical Review A (Brief Reports)

Departments of Chemistry and Physics State University of New York at Buffalo Buffalo, New York 14260

September 1990



Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

SECURITY	CLASSIFICATION AUTHORITY	3. DISTRIBUTION AVAILABILITY OF REPORT				
. DECLASSIFICATION / DOWNGRADING SCHEDULE			Approved for public release; distribution unlimited			
PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S)			
UBUFALLO/DC/90/TR-26						
. NAME OF PERFORMING ORGANIZATION Depts. Chemistry & Physics State University of New York 6b. OFFICE SYMBOL (If applicable)			7a. NAME OF MONITORING ORGANIZATION			
ADDRESS (City, State, and ZIP Code)			7b. ADDRESS (City, State, and ZIP Code)			
Fronczak Hall, Amherst Campus			Chemistry Program			
Buffalo, New York 14260			800 N. Quincy Street Arlington, Virginia 22217			
. NAME OF FUNDING/SPONSORING 8b. OFFICE SYMBOL			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
ORGANIZATION (If applicable)			Grant N00014-90-J-1193			
Office of Naval Research						
	(City, State, and ZIP Code)	10. SOURCE OF FUNDING NUMBERS				
Chemistry Program 800 N. Quincy Street			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
Arlington, Virginia 22217			ŀ	1	1	
TITLE (Include Security Classification) Detection of Three-Photon Relaxation of an Atom Near a Phase Conjugator						
Through Absorption Measurements						
PERSONAL AUTHOR(S) Henk F. Arnoldus and Thomas F. George						
a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT						
FROM TO October 1990 9						
. SUPPLEM	ENTARY NOTATION Prepared for	publication in	Physical Rev	iew A		
	COSATI CODES	Continue on reven	se if necessary a	nd identify by	block number)	
FIELD	GROUP SUB-GROUP	PHASE CONJUG	GATOR, > THREE-PHOTON RELAXATION;			
		four wave MI	IXING, DETECTION / ABSORPTION MEASUREMENTS (3/4)			
		ATOM		ABSORPTION	N MEASUREN	MENTS . 3 4 7]
ABSTRACT (Continue on reverse if necessary and identify by block number) Spontaneous excitation of an atom near a phase conjugator should be amenable						
to experimental verification through a measurement of the atomic probe absorption						
profile. It is shown that the absorption decreases quickly with increasing						
reflectivity, due to a population of the excited state. The responsible physical						
process is a three-photon event.						
	TION/AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION				
	SSIFIED/UNLIMITED SAME AS		Unclassifie	ed		
la. NAME OF RESPONSIBLE INDIVIDUAL			22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL			
Dr. David L. Nelson			(202) 696-6	441()	1	

A PHASE CONJUGATOR THROUGH ABSORPTION MEASURMENTS

Henk F. Arnoldus
Department of Physics
Mendel Hall
Villanova University
Villanova, Pennsylvania 19085

and


Thomas F. George
Departments of Chemistry and Physics & Astronomy
239 Fronczak Hall
State University of New York at Buffalo
Buffalo, New York 14260

ABSTRACT

Spontaneous excitation of an atom near a phase conjugator should be amenable to experimental verification through a measurement of the atomic probe absorption profile. It is shown that the absorption decreases quickly with increasing reflectivity, due to a population of the excited state. The responsible physical process is a three-photon event.

PACS: 42.65.H, 32.80, 52.50.D, 42.50.Kb





A two-state atom with resonance frequency ω_0 is located near the surface of a fourwave mixing phase conjugator (PC). When the atom is in its excited state e>, then it can decay spontaneously to the ground state $\pm g > under emission of a photon with frequency <math>\omega_0$. as represented by diagram (a) in Fig. 1. The space near a four-wave mixing PC always contains photons, which can be understood as follows.1 The vacuum modes of the electromagnetic field interact with the two pump beams (frequency ω) through the thirdorder susceptibility of the medium. This generates the phase-conjugate replica of the vacuum field, which consists of photons travelling away from the crystal. These photons. with a frequency distribution around ω , can be absorbed by the atom when it is in its ground state. A subsequent spontaneous emission of a photon, followed by an absorption of a second photon with frequency ω , then leads to the energy-conserving diagram (b) in Fig. 1. After this three-photon process the atom is in the excited state. This process is sometimes called spontaneous excitation,² although it is basically a combination of two stimulated absorptions and a spontaneous decay. It follows from the diagram that the fluorescent photon must have a frequency $2\omega - \omega_o$.^{3,4}

The fluorescence spectrum consists of two lines which are located symmetrically around the pump frequency ω , and detection of the line at 2ω - ω ₀ would confirm the occurrence of the three-photon process. Alternatively, the temporal photon statistics carries information on this process.⁵ A major experimental complication is that the fluorescent photons are emitted in the same directions as the photons which are emitted spontaneously by the PC. This could make the fluorescence signal indistinguishable from the background, and thereby undetectable. In this Report we propose an alternative technique for the

observation of three-photon events, which does not rely on fluorescence measurements. When a low-intensity laser beam is directed along the surface of the PC, then the atom will absorb photons from this beam. With I_p , ε and ω designating the intensity, polarization and frequency of the probe beam, respectively, the absorbed energy per unit of time is given by

$$I(\omega) = \frac{I_p \omega}{e_n \hbar c} Re \int_0^{\infty} d\tau e^{i\omega\tau} \langle [\mu(\tau) \cdot e^*, \mu(0) \cdot e] \rangle , \qquad (1)$$

with μ the atomic dipole moment. This spectral absorption profile $I(\omega)$ will be affected by three-photon processes, but its measurement does not require the detection of any fluorescence.

The evaluation of $I(\omega)$ is straightforward. First we transform the atom's correlation function in the integrand to the Schrödinger picture, which gives

$$\langle [\underline{\mu}(\tau) \cdot \varepsilon^*, \underline{\mu}(0) \cdot \underline{\varepsilon}] \rangle = Tr(\underline{\mu} \cdot \underline{\varepsilon}^*) e^{-i(L_e - i\Gamma)\tau} [\underline{\mu} \cdot \underline{\varepsilon}, \overline{\rho}] . \tag{2}$$

Here, the Liouvillians L_a and Γ account for the free evolution and the relaxation, respectively, and they are given by

$$L_a \sigma = \omega_o[P_e, \sigma] \quad , \tag{3}$$

$$\Gamma \sigma = \frac{1}{2} A_{\epsilon} (P_{\epsilon} \sigma + \sigma P_{\epsilon} - 2d^{\dagger} \sigma d) + \frac{1}{2} A_{g} (P_{g} \sigma + \sigma P_{g} - 2d \sigma d^{\dagger}) , \qquad (4)$$

in terms of the projectors $P_e = e > \langle e \rangle$, $P_g = g > \langle g \rangle$, and the raising operator $d = e > \langle g \rangle$. The two rate constants are $A_e = A(1 + P^{+2}/2)$ and $A_g = A \cdot P^{+2}/2$, where A

is the Einstein coefficient for spontaneous decay in empty space and P is the Fresnel coefficient for reflection of a plane wave. The steady-state density operator ρ is the solution of

$$(L_{a} - i\Gamma)\overline{\rho} \quad , \tag{5}$$

and is found to be

$$\overline{\rho} = \overline{n}_e P_e + \overline{n}_g P_g \quad , \tag{6}$$

with

$$\bar{n}_e = \frac{|P|^2}{2(1+|P|^2)}, \quad \bar{n}_g = 1 - \bar{n}_e$$
 (7)

Then we calculate the exponential in Eq. (2), and substitute the result into Eq. (1). This yields

$$I(\omega) = \bar{n} \omega_o I_p B(\bar{n}_g - \bar{n}_e) \frac{1}{\pi} Re \frac{1}{\frac{1}{2} (A_e + A_g) - i(\omega - \omega_o)}, \qquad (8)$$

where

$$B = \frac{\pi}{\epsilon_{\alpha} \hbar^2 c} |\langle e \mid \mu \rangle | | e \mid g \rangle |^2$$
 (9)

is the Einstein coefficient for stimulated transitions.

The absorption profile $I(\omega)$ appears to be a Lorentzian at $\omega = \omega_0$ and with a half-width at half-maximum equal to $\frac{1}{2}(A_e + A_g) = \frac{1}{2}A(1 + P^{+2})$. This shows that the width

increases linearly with the intensity-reflection coefficient P^{+2} . The strength of the line is proportional to the population difference

$$\bar{n}_g - \bar{n}_e = \frac{1}{1 + |P|^2},$$
(10)

which decreases with increasing reflectivity. For an atom in empty space this would be $-n_g - n_e = 1$, because the atom would be in the ground state. The term proportional to n_g corresponds to stimulated absorptions, whereas the term proportional to n_e comes from stimulated emissions, and counts therefore as negative. The peak value of the profile is

$$I(\omega_o) = \frac{2\hbar \omega_o I_p B}{\pi A} \frac{1}{(1 + |P|^2)^2} , \qquad (11)$$

which decreases very rapidly with increasing $|P|^2$. This is due to the fact that the line broadens and loses strength for increasing values of the reflectivity. For very large values of $|P|^2$ the line disappears completely, as a consequence of $n_g = n_e$. Stimulated absorptions and emissions of probe-beam photons then occur at the same rate, which gives effectively $I(\omega) = 0$. It should be experimentally feasible to measure the atomic absorption during the switching-on of the PC (turning up the pump power). Any diminishing of the absorption with increasing reflectivity would then indicate a population of the excited state, which is necessarily brought about by a three-photon process.

Acknowledgments

This research was supported in part by the Office of Naval Research and the National Science Foundation under Grant CHE-8922288.


REFERENCES


- 1. A. L. Gaeta and R. W. Boyd, Phys. Rev. Lett. <u>60</u>, 2618 (1988).
- 2. P. W. Milonni, E. J. Bochove and R. J. Cook, J. Opt. Soc. Am. B 6, 1932 (1989).
- 3. E. J. Bochove, Phys. Rev. Lett. <u>59</u>, 2547 (1987).
- 4. H. F. Arnoldus and T. F. George, J. Mod. Opt. (1990), submitted.
- 5. B. H. W. Hendriks and G. Nienhuis, J. Mod. Opt. <u>36</u>, 1285 (1989).
- 6. G. Nienhuis, Physica <u>66</u>, 245 (1973).

FIGURE CAPTION

Fig. 1. Diagram (a) corresponds to ordinary spontaneous decay from the excited state to the ground state. During the decay, a photon with frequency ω_0 is emitted. In the process of diagram (b), the atom is initially in the ground state. First it absorbs a photon with frequency ω (double arrow), then it emits a fluorescent photon, and subsequently it absorbs a second photon with frequency ω . This process leaves the atom in the excited state, and from energy conservation it follows that the fluorescent photon must have frequency $2\omega - \omega_0$.

(P)





FY90 Abstracts Distribution List for Solid State & Surface Chemistry

Professor John Baldeschwieler Department of Chemistry California Inst. of Technology Pasadena, CA 91125

Professor Paul Barbara
Department of Chemistry
University of Minnesota
Minneapolis, MN 55455-0431

Dr. Duncan Brown Advanced Technology Materials 520-B Danury Rd. New Milford, CT 06776

Professor Stanley Bruckenstein
Department of Chemistry
State University of New York
Buffalo, NY 14214

Professor Carolyn Cassady
Department of Chemistry
Miami University
Oxford, OH 45056

Professor R.P.H. Chang Dept. Matls. Sci. & Engineering Northwestern University Evanston, IL 60208

Professor Frank DiSalvo
Department of Chemistry
Cornell University
Ithaca, NY 14853

Dr. James Duncan Federal Systems Division Eastman Kodak Company Rochester, NY 14650-2156

Professor Arthur Ellis
Department of Chemistry
University of Wisconsin
Madison, WI 53706

Professor Mustafa E1-Sayed Department of Chemistry University of California Los Angeles, CA 90024

Professor John Eyler
Department of Chemistry
University of Florida
Gainesville, FL 32611

Professor James Garvey
Department of Chemistry
State University of New York
Buffalo, NY 14214

Professor Steven George Department of Chamistry Stanford University Stanford, CA 94305

Professor Tom George Dept. of Chemistry & Physics State University of New York Buffalo, NY 14260

Dr. Robert Hamers
IBM T.J. Watson Research Center
P.O. Box 218
Yorktown Heights, NY 10598

Professor Paul Hansma
Department of Physics
University of California
Santa Barbara, CA 93106

Professor Charles Harris Department of Chemistry University of California Berkeley, CA 94720

Professor John Hemminger Department of Chemistry University of California Irvine, CA 92717

Professor Roald Hoffmann Department of Chemistry Cornell University Ithaca, NY 14853

Professor Leonard Interrante Department of Chemistry Rensselaer Polytechnic Institute Troy, NY 12181

Professor Eugene Irene
Department of Chemistry
University of North Carolina
Chapel Hill, NC 27514

Dr. Sylvia Johnson SRI International 333 Ravenswood Avenue Menlo Park, CA 94025

Dr. Zakya Kafafi Code 6551 Naval Research Laboratory Washington, DC 20375-5000

Professor Larry Kesmodel Department of Physics Indiana University Bloomington, IN 47403 Professor Max Lagally
Dept. Metal. & Min. Engineering
University of Wisconsin
Madison, WI 53706

Dr. Stephen Lieberman Code 522 Naval Ocean Systems Center San Diego, CA 92152

Professor M.C. Lin
Department of Chemistry
Emory University
Atlanta, GA 30322

Professor Fred McLafferty Department of Chemistry Cornell University Ithaca, NY 14853-1301

Professor Horia Metiu Department of Chemistry University of California Santa Barbara, CA 93106

Professor Larry Miller
Department of Chemistry
University of Minnesota
Minneapolis, MN 55455-0431

Professor George Morrison Department of Chemistry Cornell University Ithaca, NY 14853

Professor Daniel Neumark
Department of Chemistry
University of California
Berkeley, CA 94720

Professor David Ramaker
Department of Chemistry
George Washington University
Washington, DC 20052

Dr. Gary Rubloff
IBM T.J. Watson Research Center
P.O. Box 218
Yorktown Heights, NY 10598

Professor Richard Smalley
Department of Chemistry
Rice University
P.O. Box 1892
Houston, TX 77251

Professor Gerald Stringfellow Dept. of Matls. Sci. & Engineering University of Utah Salt Lake City, UT 84112 Professor Galen Stucky
Department of Chemistry
University of California
Santa Barbara, CA 93106

Professor H. Tachikawa Department of Chemistry Jackson State University Jackson, MI 39217-0510

Professor William Unertl Lab. for Surface Sci. & Technology University of Maine Orono, ME 04469

Dr. Terrell Vanderah Code 3854 Naval Weapons Center China Lake, CA 93555

Professor John Weaver
Dept. of Chem. & Mat. Sciences
University of Minnesota
Minneapolis, MN 55455

Professor Brad Weiner
Department of Chemistry
University of Puerto Rico
Rio Piedras, Puerto Rico 00931

Professor Robert Whetten Department of Chemistry University of California Los Angeles, CA 90024

Professor R. Stanley Williams
Department of Chemistry
University of California
Los Angeles, CA 90024

Professor Nicholas Winograd Department of Chemistry Pennsylvania State University University Park, PA 16802

Professor Aaron Wold Department of Chemistry Brown University Providence, RI 02912

Professor Vicki Wysocki Department of Chemistry Virginia Commonwealth University Richmond, VA 23284-2006

Professor John Yates Department of Chemistry University of Pittsburgh Pittsburgh, PA 15260